



author:"m tabacco"

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 33 for author:"m tabacco". (0.05 seconds)
[M Tabacco](#)[D Moore](#)[H Chuang](#)[Z Glaser](#)[M Linebaugh](#)
[Evaluation of polymeric materials for maxillofacial prosthetics. - group of 2 »](#)

DJ Moore, ZR Glaser, MJ Tabacco, MG Linebaugh - J Prosthet Dent, 1977 - ncbi.nlm.nih.gov

The methods for initial evaluation of a new prospective maxillofacial prosthetic material, MDX-4-4210, have been described and tensile and compressive test ...

[Cited by 12](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)
[Optical sensors for detection of bacteria. 1. General concepts and initial development - group of 3 »](#)

H Chuang, P Macuch, MB Tabacco - Anal. Chem, 2001 - pubs.acs.org

The concept of using immobilized nucleic acid stains as detection chemistry to fabricate optical bacterial sensors is first demonstrated. SYTO 13 (a green ...

[Cited by 9](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)
[An Autonomous Sensor and Telemetry System for Low-Level pCO 2 Measurements in Seawater - group of 3 »](#)

MB Tabacco, M Uttamlal, M McAllister, DR Walt - Anal. Chem, 1999 - pubs.acs.org

The measurement of low-level dissolved CO 2 using a fiber-optic sensor is described. The sensor, based on the Severinghaus CO 2 electrode principle, ...

[Cited by 8](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)
[Combined dental implant and guided tissue regeneration therapy in humans. - group of 3 »](#)

ME Gher, G Quintero, JB Sandifer, M Tabacco, AC ... - Int J Periodontics Restorative Dent, 1994 - ncbi.nlm.nih.gov

This study evaluated wound healing and osseointegration of dental implants placed in immediate postextraction sockets in humans. Ten healthy adults ...

[Cited by 7](#) - [Related Articles](#) - [Cached](#) - [Web Search](#) - [BL Direct](#)
[Enhanced detection of live bacteria using a dendrimer thin film in an optical biosensor - group of 4 »](#)

AC Chang, JB Gillespie, MB Tabacco - Anal. Chem, 2001 - pubs.acs.org

Here we describe the detection of live Pseudomonas aeruginosa using a sensing film containing a fourth-generation hydroxy-terminated polyamidoamine ...

[Cited by 5](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)
[Real-time detection of bacterial contamination in dynamic aqueous environments using optical sensors - group of 4 »](#)

J Ji, JA Schanzle, MB Tabacco - Anal Chem, 2004 - pubs.acs.org

Here we describe on-line, real-time detection of waterborne bacteria using an optical sensor based on a starburst dendrimer film containing a lipophilic ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)
[Sensors for detection of calcium associated with bacterial endospore suspensions - group of 2 »](#)

LC Taylor, MB Tabacco, JB Gillespie - Analytica Chimica Acta, 2001 - ingentaconnect.com

We describe a method of detecting bacterial endospores via quantitation of calcium uniquely associated with spore suspensions. The sensor is created ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#)
[Chemical sensors for environmental monitoring - group of 5 »](#)

MB Tabacco, Q Zhou, BN Nelson - Proceedings of SPIE- The International Society for Optical ..., 1992 - spie.org

Abstract: Fiber optic chemical sensors are being developed for on-line monitoring of gases and liquids. The sensors utilize novel porous polymer ...

[Cited by 3](#) - [Related Articles](#) - [Cached](#) - [Web Search](#) - [BL Direct](#)

[CITATION] Life-Cycle Assessment and Enviromental Impact of Advanced Energy System

S Ulgiati, S Bargigli, M Raugei, AM Tabacco - Advances in Energy Studies. Exploring Supplies, Constraints, ..., 2000

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

[Forensic Analysis by Comprehensive Rapid Detection of Pathogens and Contamination Concentrated in ... - group of 2 »](#)

DC White, JS Gouffon, AD Peacock, R Geyer, A ... - Environmental Forensics, 2003 - Taylor & Francis

Page 1. Environmental Forensics, 4:63-74, 2003 Copyright C 2003 AEHS

1527-5922/03 \$12.00 + .00 DOI: 10.1080/15275920390186967 Technical Notes ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

Gooogle ►

Result Page: 1 2 3 4 [Next](#)

author:"m tabacco"

[Search](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



author:"m mittelman" biofilm

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar All articles [Recent articles](#) Results 1 - 10 of about 24 for author:"m mittelman" biofilm. (0.11 sec)
[All Results](#)[M Mittelman](#)[P Suci](#)[F Yu](#)[G Geesey](#)[A Khoury](#)

[Investigation of ciprofloxacin penetration into Pseudomonas aeruginosa biofilms. - group of 5 »](#)

PA Suci, MW Mittelman, FP Yu, GG Geesey - Antimicrobial Agents and Chemotherapy, 1994 - aac.asm.org
 ... Center for **Biofilm** Engineering, Montana State University, Bozeman, Montana 59717, 1 and Centre for Infection and Biomaterials Research, Toronto Hospital, Toronto ...
[Cited by 71](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Effects of ciprofloxacin and protamine sulfate combinations against catheter-associated Pseudomonas ... - group of 5 »](#)

F Soboh, AE Khoury, AC Zamboni, D Davidson, MW ... - Antimicrobial Agents and Chemotherapy, 1995 - aac.asm.org
 ... Catheter-Associated Pseudomonas aeruginosa **Biofilms** ... The presence of a bacterial **biofilm** recalcitrant to treatment often mediates these infections. ...
[Cited by 29](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Effects of metronidazole on Porphyromonas gingivalis biofilms. - group of 2 »](#)

TL Wright, RP Ellen, JM Lacroix, S Sinnadurai, MW ... - J Periodontal Res, 1997 - ncbi.nlm.nih.gov
 ... Subgingival bacteria exist within a **biofilm** consisting of cells and extracellular matrix which may afford organisms protection from both antibiotics and ...
[Cited by 24](#) - [Related Articles](#) - [Cached](#) - [Web Search](#) - [BL Direct](#)

[Investigation of interactions between antimicrobial agents and bacterial biofilms using attenuated ... - group of 3 »](#)

PA Suci, JD Vransky, MW Mittelman - Biomaterials, 1998 - ncbi.nlm.nih.gov
 ... infrared spectroscopy. Suci PA, Vransky JD, Mittelman MW. Center for **Biofilm** Engineering, Montana State University, Bozeman 59717, USA. ...
[Cited by 23](#) - [Related Articles](#) - [Cached](#) - [Web Search](#) - [BL Direct](#)

[Structure and Functional Characteristics of Bacterial Biofilms in Fluid Processing Operations - group of 4 »](#)

MW Mittelman - Journal of Dairy Science, 1998 - jds.fass.org
 ... Product spoilage and possible risks to public health are also consequences of **biofilm**-mediated contamination. ... However, studies of bacterial **biofilm** ...
[Cited by 13](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[On line, non-destructive biomass determination of bacterial biofilms by fluorometry - group of 2 »](#)

P Angell, AA Arrage, MW Mittelman, DC White - Journal of Microbiological Methods, 1993 - csa.com
 ... lack of on-line methodology for the determination of microbial biomass and activity of attached bacteria has severely limited the study of **biofilm** physiology. ...
[Cited by 13](#) - [Related Articles](#) - [Web Search](#)

[Multipurpose laminar-flow adhesion cells for the study of bacterial colonization and biofilm ... - group of 2 »](#)

MW Mittelman, LL Kohring, DC White - Biofouling, 1992 - csa.com
 Multipurpose laminar-flow adhesion cells for the study of bacterial colonization and **biofilm** formation. MW Mittelman, LL Kohring ...
[Cited by 12](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Antimicrobial Activity of a Novel Catheter Lock Solution - group of 5 »

CB Shah, MW Mittelman, JW Costerton, S Parenteau, ... - Antimicrobial Agents and Chemotherapy, 2002 - aac.asm.org

... Biolink Corporation, Norwell, Mass.) for its activity against planktonic microbes, antimicrobial activity in a catheter model, and **biofilm** eradication activity ...

[Cited by 20](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Antibiotic hydrogel coated Foley catheters for prevention of urinary tract infection in a rabbit ... - group of 4 »

JL Pugach, V DiTizio, MW Mittelman, AW Bruce, F ... - J Urol, 1999 - jurology.com

... at 5.0 kV. We evaluated catheter sections for the presence of **biofilm** and bacteria on the external catheter surface. To eliminate ...

[Cited by 16](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

A liposomal hydrogel for the prevention of bacterial adhesion to catheters. - group of 3 »

V DiTizio, GW Ferguson, MW Mittelman, AE Khoury, ... - Biomaterials, 1998 - ncbi.nlm.nih.gov

... The adhesion of bacteria to medical implants and the subsequent development of a **biofilm** frequently results in the infection of surrounding tissue and may ...

[Cited by 22](#) - [Related Articles](#) - [Cached](#) - [Web Search](#) - [BL Direct](#)

Google ►

Result Page: 1 2 3 [Next](#)

author:"m mittelman" biofilm

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



author:"j schanzie"

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Tip: Try removing quotes from your search to get more results.

Your search - **author:"j schanzie"** - did not match any articles.
No pages were found containing "**schanzie**".

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try your query on the entire web.

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



biofilm "inherent biomarker"

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Tip: Try removing quotes from your search to get more results.

Your search - **biofilm "inherent biomarker"** - did not match any articles.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.
- Try your query on the entire web.

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



biofilm autofluorescence fiber probe filter

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 49 for **biofilm autofluorescence fiber probe filter**

All Results

[J Vroom](#)

[K De Grauw](#)

[H Gerritsen](#)

[D Bradshaw](#)

[P Marsh](#)

Depth Penetration and Detection of pH Gradients in Biofilms by Two-Photon Excitation Microscopy - group of 5 »

JM Vroom, KJ De Grauw, HC Gerritsen, DJ Bradshaw, ... - Applied and Environmental Microbiology, 1999 - aem.asm.org

... This confocal microscope is **fiber** connected to the ... Thus, to minimize the **autofluorescence** contribution while avoiding ... **probe** binding within the **biofilm**, a ... Cited by 57 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Detection of Staphylococcus aureus Biofilm on Tampons and Menses Components - group of 4 »

RH Veeh, ME Shirliff, JR Petik, JA Flood, CC ... - Journal of Infectious Diseases, 2003 - journals.uchicago.edu

... of EUB338-FITC counterprobe signal; and (D), **autofluorescence** check using ... This large clump of *S. aureus* **biofilm** was seen attached to a tampon **fiber** and is ... Cited by 8 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Assessment of Fluorochromes for Two-Photon Laser Scanning Microscopy of Biofilms - group of 7 »

TR Neu, U Kuhlicke, JR Lawrence - Applied and Environmental Microbiology, 2002 - intl-aem.asm.org

... mirror set before the signal entered the glass **fiber**. ... Scale bars = 20 µm. (A) Lotic **biofilm** image showing chlorophyll **autofluorescence** (blue) and DAPI ... Cited by 10 - [Related Articles](#) - [Cached](#) - [Web Search](#) - [BL Direct](#)

A Ruthenium Probe for Cell Viability Measurement Using Flow Cytometry. Confocal Microscopy and Time- ... - group of 4 »

ME Jiménez-Hernández, G Orellana, F Montero, MT ... - Photochemistry and Photobiology - bioone.org

... to prevent bacterial colonization or **biofilm** formation in ... wavelength no sample **autofluorescence** was observed. ... El Dorado Hills, CA) **fiber**-optic spectrophotometer ... Cited by 1 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Sediment properties influencing upwelling spectral reflectance signatures: The "biofilm gel ... - group of 6 »

AW Decho, T Kawaguchi, MA Allison, E Louchard, RP ... - Limnology and Oceanography, 2003 - aslo.org

... EPS samples, extracted from natural sediment **biofilms**, were an ... concanavalin A to label EPS, and **autofluorescence** to image ... RP200-7 by a 200 m **fiber**-optic cable ... Cited by 10 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

The role of Raman spectroscopy as an astrobiological tool in the exploration of Mars

D Dickensheets - J. Raman Spectrosc, 2004 - doi.wiley.com

... The cellular component can be as little as 2–15% of the **biofilm** volume but all major organic components are present within such **biofilms**, including proteins ... [Related Articles](#) - [Web Search](#)

Association of coliform bacteria with wastewater particles: impact of operational parameters of the ... - group of 6 »

FJ Loge, RW Emerick, TR Ginn, JL Darby - Water Research, 2002 - cee.engr.ucdavis.edu

... wastewater particles appeared due to **autofluorescence** and the coliform ...

obtained with
the 16S rRNA oligonucleotide **probe**). ... using a 1.2 mm glass **fiber filter**. ...
[Cited by 4](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

Abstract View

ME Jiménez-Hernández, G Orellana, F Montero, MT ... - Photochemistry and Photobiology, 2000 - bioone.org

... to prevent bacterial colonization or **biofilm** formation in ... wavelength no sample **autofluorescence** was observed. ... El Dorado Hills, CA) **fiber-optic** spectrophotometer ...
[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

High resolution detection of fluorescently labeled microorganisms in environmental samples using ... - group of 4 »

R Connally, D Veal, J Piper - FEMS Microbiology Ecology, 2002 - Blackwell Synergy
... VS (2000) Community analysis of bacterial **biofilms** in a ... detectors and detection systems

and **fiber optics**. ... excited lifetime imaging of **autofluorescence** in cells ...
[Cited by 10](#) - [Related Articles](#) - [Web Search](#)

... Transparent Porous Medium for Nondestructive Studies of Microbial Biofilm Architecture and Transport ... - group of 5 »

AP Leis, S Schlicher, H Franke, M Strathmann - Applied and Environmental Microbiology, 2004 - aem.asm.org

... phototrophs by means of chlorophyll **autofluorescence** or UV ... **Biofilm** structural forms utilized in bioremediation of organic ... of water with a **fiber-optic** sensor. ...
[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Google ►

Result Page: 1 2 3 4 5 [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google

Dialog DataStar[options](#)[logout](#)[feedback](#)[help](#)[databases](#)[easy search](#)

INSPEC KG

Advanced Search:**Inspec - 1898 to date (INZZ)**[limit](#)

Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	tabacco-m\$	unrestricted	5	show titles
2	INZZ	mittelman-m\$	unrestricted	6	show titles
3	INZZ	schanzie-j\$	unrestricted	0	-
4	INZZ	biofilm	unrestricted	207	show titles
5	INZZ	inherent	unrestricted	47420	show titles
6	INZZ	4 AND 5	unrestricted	0	-
7	INZZ	autofluoresc\$	unrestricted	456	show titles
8	INZZ	4 AND 7	unrestricted	2	show titles

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)Enter your search term(s): [Search tips](#) ☐ Thesaurus mapping [whole document](#) Information added since: or: none
(YYYYMMDD)[search](#)☐ Documents with images

Select special search terms from the following list(s):

- ☒ Publication year 1950-
- ☒ Publication year 1898-1949
- ☒ Inspec thesaurus - browse headings A-G
- ☒ Inspec thesaurus - browse headings H-Q
- ☒ Inspec thesaurus - browse headings R-Z
- ☒ Inspec thesaurus - enter a term
- ☒ Classification codes A: Physics, 0-1
- ☒ Classification codes A: Physics, 2-3
- ☒ Classification codes A: Physics, 4-5
- ☒ Classification codes A: Physics, 6